



Tip 1



Tip 3



Tip 5

Sve remenice su čelične livene i jednoreodne, crne boje - površinski zaštićene bruniranjem. Sve remenice su fabrički izbalansirane.

Sve remenice imaju izbušenu inicijalnu rupu malog prečnika (d) koja se po potrebi može proširiti zavisno od konkretnog mesta ugradnje.

Manje remenice se izrađuju kao Tip 1, srednje kao Tip 3 a najveće kao Tip 5 (videti slike).

Primena: **SPZ** remenice se koriste za kaiševe dimenzija **9.5, 10 i AVX10**
SPA remenice se koriste za kaiševe dimenzija **12.5, 13 i AVX13**
SPB remenice se koriste za kaiševe dimenzija **17**

Oznaka	P (mm)	O (mm)	N (mm)	L (mm)	B (mm)	Tip (na slici)	d (mm)	Cena (EUR/kom)
SPZ remenice se koriste za kaiševe dimenzija 9.5, 10 i AVX10								
SPZ 50	50	54	40	28	16	1	10	2.14
SPZ 56	56	60	45	28	16	1	10	2.43
SPZ 63	63	67	50	28	16	1	10	2.65
SPZ 71	71	75	50	28	16	1	10	2.96
SPZ 75	75	79	50	28	16	1	10	3.36
SPZ 80	80	84	50	28	16	1	10	3.54
SPZ 85	85	89	50	28	16	1	10	3.80
SPZ 90	90	94	50	28	16	1	10	4.07
SPZ 95	95	99	50	28	16	1	10	4.36

SPZ 100	100	104	50	28	16	1	10	4.68
SPZ 106	106	110	50	28	16	1	10	5.02
SPZ 112	112	116	50	28	16	1	10	5.50
SPZ 118	118	122	50	28	16	3	10	5.55
SPZ 125	125	129	50	28	16	3	15	6.04
SPZ 132	132	136	50	28	16	3	15	6.56
SPZ 140	140	144	50	28	16	3	15	7.05
SPZ 150	150	154	50	28	16	3	15	7.95
SPZ 160	160	164	55	32	16	3	15	9.00
SPZ 180	180	184	55	32	16	5	20	9.36
SPZ 200	200	204	55	32	16	5	20	9.74
SPZ 224	224	228	55	32	16	5	20	10.74
SPZ 250	250	254	55	32	16	5	20	12.45
SPZ 280	280	284	55	32	16	5	20	15.05
SPZ 315	315	319	55	32	16	5	20	17.40

Oznaka	P (mm)	O (mm)	N (mm)	L (mm)	B (mm)	Tip (na slici)	d (mm)	Cena (EUR/kom)
SPA remenice se koriste za kaiševe dimenzija 12.5, 13 i AVX13								
SPA 40	40	45.5	40	35	20	1	10	2.06
SPA 50	50	55.5	40	35	20	1	10	2.49
SPA 60	60	65.5	40	35	20	1	10	2.80
SPA 71	71	76.5	40	40	20	1	10	3.33
SPA 75	75	80.5	40	40	20	1	10	3.51
SPA 80	80	85.5	45	40	20	1	10	3.91
SPA 85	85	90.5	45	40	20	1	10	4.22
SPA 90	90	95.5	45	40	20	1	10	4.59
SPA 95	95	100.5	45	40	20	1	10	4.91
SPA 100	100	105.5	48	40	20	1	10	5.33
SPA 106	106	111.5	48	40	20	1	10	5.85
SPA 112	112	117.5	48	40	20	1	10	6.39
SPA 118	118	123.5	60	40	20	1	15	7.31
SPA 132	132	137.5	60	40	20	1	15	8.69
SPA 140	140	145.5	60	40	20	3	15	8.88
SPA 150	150	155.5	60	40	20	3	15	9.67
SPA 160	160	165.5	60	40	20	3	15	10.35
SPA 170	170	175.5	60	40	20	3	15	11.49
SPA 180	180	185.5	65	40	20	3	20	12.45
SPA 200	200	205.5	65	45	20	3	20	14.92
SPA 224	224	229.5	65	45	20	3	20	16.23
SPA 250	250	255.5	75	45	20	3	20	18.18
SPA 280	280	285.5	75	50	20	5	20	19.24
SPA 300	300	305.5	75	50	20	5	20	21.10
SPA 315	315	320.5	75	50	20	5	20	22.08
SPA 355	355	360.5	75	50	20	5	20	26.38
SPA 400	400	405.5	90	50	20	5	20	31.90
SPA 450	450	455.5	90	50	20	5	20	35.54
SPA 500	500	505.5	90	50	20	5	20	44.23
SPA 560	560	565.5	100	50	20	5	25	53.79
SPA 600	600	605.5	100	50	20	5	25	60.19
SPA 630	630	635.5	100	50	20	5	25	65.78

Oznaka	P (mm)	O (mm)	N (mm)	L (mm)	B (mm)	Tip (na slici)	d (mm)	Cena (EUR/kom)
SPB remenice se koriste za kaiševe dimenzije 17								
SPB 70	70	77	45	45	25	1	10	4.10
SPB 80	80	87	50	45	25	1	10	4.81
SPB 90	90	97	50	45	25	1	10	5.47
SPB 100	100	107	52	45	25	1	10	6.50
SPB 112	112	119	55	45	25	1	15	7.85
SPB 120	120	127	55	45	25	1	15	8.77
SPB 125	125	132	58	45	25	1	15	9.50
SPB 132	132	139	60	45	25	1	15	10.45
SPB 140	140	147	65	45	25	1	20	11.72
SPB 150	150	157	65	45	25	1	20	12.73
SPB 160	160	167	65	45	25	3	20	13.04
SPB 170	170	177	65	45	25	3	20	14.04
SPB 180	180	187	65	45	25	3	20	15.25
SPB 200	200	207	70	45	25	3	20	19.59
SPB 212	212	219	70	45	25	3	20	20.23
SPB 225	225	232	70	45	25	3	20	21.94
SPB 250	250	257	70	50	25	3	20	26.60
SPB 280	280	287	76	50	25	3	20	26.82
SPB 300	300	307	76	50	25	5	20	26.88
SPB 315	315	322	76	50	25	5	20	27.79
SPB 355	355	362	80	50	25	5	20	33.35
SPB 400	400	407	85	55	25	5	20	41.72
SPB 450	450	457	90	60	25	5	20	49.39
SPB 500	500	507	100	60	25	5	25	59.31
SPB 560	560	567	100	60	25	5	25	68.31
SPB 600	600	607	100	60	25	5	25	76.75
SPB 630	630	637	100	60	25	5	25	82.08

[NAZAD NA PONUDU](#)
[KUPI U ONLINE SHOP-U](#)